

- [30] S. Muzziolia, H. Reynaertsb, Fuzzy linear systems of the form $A_1x + b_1=A_1x + b_1$, Fuzzy Sets and Systems, 157 (2006) 939-951.
<http://dx.doi.org/10.1016/j.fss.2005.09.005>
- [31] S. H. Nasser, F. Zahmatkesh, Huang method for solving fully fuzzy linear system of equations, Journal of Mathematics and Computer Science, 1 (1) (2010) 1-5.
- [32] S. H. Nasser, M. Sohrabi, E. Ardil, Solving Fully Fuzzy Linear Systems by use of a Certain Decomposition of the Coefficient Matrix, International Journal of Computational and Mathematical Sciences, 3 (2008) 140-142.
- [33] S. Nasser, M. Sohrabi, Cholesky Decomposition For Solving The Fully Fuzzy Linear System Of Equations, International Journal of Applied Mathematics, 22 (5) (2009) 689-696.
- [34] S. Nasser, M. Matinfar, Z. Kheiri, Greville's method for the fully fuzzy linear system of equations, Adv Fuzzy Sets Syst, 4 (2009) 301-3011.
- [35] S. Nasser, F. Taleshian, E. Behmanesh, M. Sohrabi, A Qr-Decomposition Of The Mean Value Matrix Of The Coefficient Matrix For Solving The Fully Fuzzy Linear System, International Journal of Applied Mathematics, 25 (2012) 473-480.
- [36] M. Otadi, M. Mosleh, Solving fully fuzzy matrix equations, Applied Mathematical Modelling, 36 (12) (2012) 6114-6121.
<http://dx.doi.org/10.1016/j.apm.2012.02.005>
- [37] M. Otadi, M. Mosleh, S. Abbasbandy, Numerical solution of fully fuzzy linear systems by fuzzy neural network, Soft Comput, (2011) 1513-1522.
<http://dx.doi.org/10.1007/s00500-010-0685-9>
- [38] L. A. Zadeh, Fuzzy sets, Information and Control, 8 (1965) 338-353.
[http://dx.doi.org/10.1016/S0019-9958\(65\)90241-X](http://dx.doi.org/10.1016/S0019-9958(65)90241-X)
- [39] L. A. Zadeh, The Concept of a Linguistic Variable and its Application to Approximate Reasoning-II, Information Sciences, 8 (1975) 301-357.
[http://dx.doi.org/10.1016/0020-0255\(75\)90046-8](http://dx.doi.org/10.1016/0020-0255(75)90046-8)